

Der erste von zwei neuen, unglaublichen Taschenlampen von Olight: **Javelot Turbo**

Olight NEW Javelot Turbo

EXTEND THE POSSIBILITIES

ULTRA-BEAM DISTANCE FLASHLIGHT

1,300 LUMENS | **1,300** METERS

LIMITED Edition

DESERT TAN | BLACK

MAX OUTPUT	MAX RUNTIME	MAX THROW	BATTERY	DROP TEST	WATERPROOF
1,300 LUMENS	318 HOURS	1,300 METERS	10000mAh 3.6V BATTERY PACK (INCLUDED)	1 METER	IPX8

1,300 LUMENS | **1,300** METERS

LONGEST BEAM DISTANCE IN ITS CLASS

A high-performance LED offers an excellent beam distance of 1,300 meters (4,265ft), making it the new king of throw flashlights species.

Great beam distance:

Maximum beam distance of 1,300 meters, 20.37% farther than the original Javelot Pro.

Integrated battery pack:

The battery pack comprises two 5000mAh 21700 batteries. It allows for longer runtime and quick replacement.

Two versatile switches:

A tail switch to access 1,300-lumen or 15-lumen output directly; a side switch to cycle through 4 output settings.



COMPACT SIZE WITH SUPERSIZED BATTERY

10000mAh large-capacity battery pack guarantees **318 hours** of runtime and can quickly be replaced. Always ready to get back in the action.

Enhanced safety:

The upgraded tail cap, same as that of Odin, fits securely with the lockable ROD remote pressure switch

3-color indicator:

The indicator at the center of the side switch clearly displays the battery life with a green, orange, or red color

Tower-shaped tube body provides comfort and a firm grip for superior performance.

Magnetic tail cap:

Functioning as a charging port or magnetic pressure switch mount

OPTIMIZATION FOR SMOOTH TACTICAL OPERATION

The signature 3-in-1 tail cap (same as the Odin) fits securely with our lockable ROD remote pressure switch. Handheld or mounted, the choice is yours.



▲
Javelot Pro




▲
Javelot Turbo



INTUITIVE OPERATION AND INDICATOR

The side switch for easy On/Off and brightness adjustment.
The three-color indicator displays the battery level in realtime.





OUTPUT

SPECIFICATIONS	MODE 1	MODE 2	MODE 3	MODE 4
	1,300 ~ 800 ~ 500 ~ 150 lumens	500 ~ 150 lumens	150 lumens	15 lumens
	10+140+30+110 minutes	350+130 minutes	27 hours	318 hours
	1,300 meters	900 meters	480 meters	140 meters
	422,500 cd	202,500 cd	57,600 cd	4,900 cd

* All data above are test results according to ANSI/NEMA FL 1-2009 standards.

* The tests are performed indoors under a room temperature of 25 degrees Celsius with windless conditions.

LIGHT SOURCE

High Performance Neutral White LED

DIMENSIONS

Length: 10.20in/259mm
 Head Diameter: 2.48in/63mm
 Body Diameter: 1.02in/25.8mm

WEIGHT

14.40oz/408g (Including Batteries)

BODY MATERIAL

Aluminum Alloy

POWERED BY

Integrated Battery Pack
 (Two 3.6V 5000mAh 21700 Rechargeable Lithium Batteries Included)

WARRANTY

Olight's 5-Year Warranty
 Visit: <https://olightworld.com/olight-warranty>

WATERPROOF
IPX8



DROP TEST



COMPLIANCE





IN THE BOX

Javelot Turbo (Batteries Included) x 1
MCC3 Magnetic USB Charging Cable x 1
Holster x 1
User Manual x 1

OPTIONAL ACCESSORIES

ROD 7" Linear Wire Magnetic Remote Switch x 1
ROD Long Coil Wire Magnetic Remote Switch x 1
Self-locking Band x2
RM3R Pressure Switch Mount x 1
E-WM25L x 1
X-WM03 x 1
Red Filter x 1
Green Filter x 1

Short Video about the Olight Javelot Turbo: <https://youtu.be/DT16QXY9Uh0>

Olight Javelot Turbo

Price: 172,50 EURO (UVP 275,95 Euro, inkl. MwSt.)

EAN: 6972378121752 black

EAN: 6972378122056 Desert tan

Verfügbar in schwarz ab nächster Woche !

Please send your orders to: auftragsbearbeitung@ntp-gmbh.com

All prices are plus statutory VAT

Interested in more?

Here you can see an overview of the NTP-Assortments:

www.new-tech-products.com/products/pdf/NTP-Products-Overview.pdf



Best Regards

Rolf Olejniczak-Burkert
New-Tech-Products Handels GmbH

Phone : +49 (0) 7308 / 811 00 - 0 (Zentrale)

Fax : +49 (0) 7308 / 811 00 - 19

www.new-tech-products.com

Nersinger Straße 14-16 • 89275 Elchingen • Germany

Sitz Ulm - HRB 4496 Amtsgericht Ulm

Geschäftsführer: Rolf Olejniczak-Burkert

UST-IDNr.: DE813398643

Should you (%Email%) no longer need this Email-Newsletter,
just reply with [REMOVE](#) in the subject line.